

Post Service

Bu Sayfadaki metodlar:

- PostHtml
- PostHtmlWithTypeCCandBCC
- GetPostResult
- GetPostBulkBounceResult
- GetPostBulkResult
- GetPostBulkResult
- GetPostBulkResultByLastUpdate
- GetPostBulkResultByPostId
- GetPostBulkResultWithCustomParams
- GetPostBulkResultWithOptional
- PostTransactionalEmailWithHtmlTemplate
- PostTransactionalEmailWithXsltTemplate
- GetPostBulkBounceResult
- GetPostBulkResult
- GetPostBulkResultByLastUpdate
- GetPostBulkResultByPostId
- GetPostBulkResultWithCustomParams
- GetPostBulkResultWithOptional
- PostTransactionalEmailWithHtmlTemplate
- PostTransactionalEmailWithXsltTemplate

PostHtml

URL	LIVE: http://api.relateddigital.com/resta/api/post/PostHtml ECOMM: http://api.relateddigital.com/reste/api/post/PostHtml
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>

Body	<p>FromName (string): From Name of the e-mail.,</p> <p>FromAddress (string): From address of the e-mail.,</p> <p>ReplyAddress (string): Reply address of the e-mail.,</p> <p>Subject (string): Subject of the e-mail.,</p> <p>HtmlBody (string): Content of the e-mail as html.,</p> <p>Charset (string): Char set of the e-mail.,</p> <p>ToName (string): Name of the receiver.,</p> <p>ToEmailAddress (string): Email address of the receiver.,</p> <p>PostType(string): Optional parameter.Type of email (account activation, survey, etc.),</p> <p>Keyld(string): Optional parameter. Unique member id in your system.,</p> <p>CustomParams(string): Optional parameter. Custom parameters.,</p> <p>Attachments (List<Attachment>):</p> <p>Attachment:</p> <p>Name(string): Name of attachment.,</p> <p>Type(string): Type like pdf,doc.,</p> <p>Content(base64Binary): Contents of file.</p>
Sample Body	<pre>{ "FromName": "", "FromAddress": "", "ReplyAddress": "", "Subject": "", "HtmlBody": "<html><head></head><body>Hello World!!</body></html>", "Charset": "iso-8859-9", "ToName": "", "ToEmailAddress": "", "Attachments": [{ "Name": "", "Type": "PDF or DOC", "Content": "" }], "PostType": "", "Keyld": "", "CustomParams": "" }</pre>

Sample Response	<pre>{ "PostId": "F50656781FFA45338C1F28499555A0BC" "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" "TransactionId": "" }</pre>
Successs Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

PostHtmlWithTypeCCandBCC

URL	LIVE: http://api.relateddigital.com/resta/api/post/PostHtml ECOMM: http://api.relateddigital.com/reste/api/post/PostHtml
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>

Body

FromName (string): From Name of the e-mail.,

FromAddress (string): From address of the e-mail.,

ReplyAddress (string): Reply address of the e-mail.,

Subject (string): Subject of the e-mail.,

HtmlBody (string): Content of the e-mail as html.,

Charset (string): Char set of the e-mail.,

ToName (string): Name of the receiver.,

ToEmailAddress (string): Email address of the receiver.,

PostType(string): Optional parameter. Type of email (account activation, survey, etc.),

KeyId(string): Optional parameter. Unique member id in your system.,

CustomParams(string): Optional parameter. Custom parameters.,

CcAddress(string): Optional parameter.,

BccAddress(string): Optional parameter.,

Attachments (List<Attachment>):

Attachment:

Name(string): Name of attachment.,

Type(string): Type like pdf,doc.,

Content(base64Binary): Contents of file.,

Sample Body	<pre> { "FromName": "", "FromAddress": "", "ReplyAddress": "", "Subject": "", "HtmlBody": "<html><head></head><body>Hello World!!</body></html>", "Charset": "iso-8859-9", "ToName": "", "ToEmailAddress": "", "CcAddress": "", "BccAddress": "", "Attachments": [{ "Name": "", "Type": "PDF or DOC", "Content": "" }], "PostType": "", "Keyld": "", "CustomParams": "" } </pre>
Sample Response	<pre> { "PostId": "F50656781FFA45338C1F28499555A0BC" "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" "TransactionId": "" } </pre>
Success Response	Status Code: 200

Http Error	Status Code: 400 Bad Request
Response	Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostResult

URL	LIVE: http://api.relateddigital.com/resta/api/Post/GetPostResultPostId=58D3A9E86C734F599BB87CBD87E3A531 ECOMM: http://api.relateddigital.com/reste/api/Post/GetPostResultPostId=58D3A9E86C734F599BB87CBD87E3A531
Http verb	GET
Parameters	PostId(string) : ID of the post given by PostHtml web service.
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	
Sample Body	

Sample Response	<pre>{ "PostId": "58D3A9E86C734F599BB87CBD87E3A531", "RelayStatus": "R", "DeliveryStatus": "RE", "UndeliveryReason": "", "MarkedSpam": false, "KeyId": "", "CustomParams": "", "PostType": "rest_type", "ReadTime": "", "RelayBounceTime": "", "LastUpdateTime": "", "FromAdress": null, "Subject": null, "Success": true, "Errors": [], "DetailedMessage": "", "TransactionId": "63259CB6EE6543219A4E37575A94655F" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01, 26, 99

GetPostBulkBounceResult

URL	LIVE: http://ws.euormsg.com/resta/api/post/GetPostBulkBounceResult ECOMM: http://ws.euormsg.com/reste/api/post/GetPostBulkBounceResult
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	

Sample Body	<pre>{ "BeginDate": "sample string 1", "EndDate": "sample string 2" }</pre>
Sample Response	<pre>{ "MemberId": "", "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "", "TransactionId": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkResult

URL	LIVE: http://ws.euromsg.com/resta/api/post/GetPostBulkResult ECOMM: http://ws.euromsg.com/reste/api/post/GetPostBulkResult
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	
Sample Body	<pre>{ "BeginDate": "sample string 1", "EndDate": "sample string 2" }</pre>

Sample Response	<pre>{ "MemberId": "", "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" "TransactionId": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkResult

URL	LIVE: http://ws.euromsg.com/resta/api/post/GetPostBulkResult ECOMM: http://ws.euromsg.com/reste/api/post/GetPostBulkResult
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	
Sample Body	<pre>{ "BeginDate": "sample string 1", "EndDate": "sample string 2" }</pre>

Sample Response	<pre>{ "MemberId": "", "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "", "TransactionId": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkResultByLastUpdate

URL	LIVE: http://ws.euomsg.com/resta/api/post/GetPostBulkResultByLastUpdate ECOMM: http://ws.euomsg.com/rete/api/post/GetPostBulkResultByLastUpdate
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	
Sample Body	<pre>{ "BeginDate": "sample string 1", "EndDate": "sample string 2" }</pre>

Sample Response	<pre>{ "MemberId": "" "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" "TransactionId": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkResultByPostId

URL	LIVE: http://ws.euormsg.com/resta/api/post/GetPostBulkResultByPostId ECOMM: http://ws.euormsg.com/rete/api/post/GetPostBulkResultByPostId
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	
Sample Body	<pre>{ "PostIds": ["sample string 1", "sample string 2"] }</pre>

Sample Response	<pre>{ "MemberId": "", "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" "TransactionId": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkResultWithCustomParams

URL	LIVE: http://ws.euormsg.com/resta/api/post/GetPostBulkResultWithCustomParams ECOMM: http://ws.euormsg.com/reste/api/post/GetPostBulkResultWithCustomParams
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	
Sample Body	<pre>{ "BeginDate": "sample string 1", "EndDate": "sample string 2", "CustomParams": "sample string 3" }</pre>

Sample Response	<pre>{ "MemberId": "", "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkResultWithOptional

URL	LIVE: http://ws.euomsg.com/resta/api/post/GetPostBulkResultWithOptional ECOMM: http://ws.euomsg.com/reste/api/post/GetPostBulkResultWithOptional
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login</i>
Body	ToEmailAddress (string): Email address of the receiver PostType(string): Optional parameter.Type of email (account activation, survey, etc.)
Sample Body	<pre>{ "BeginDate": "sample string 1", "EndDate": "sample string 2", "PostType": "sample string 3", "ToAddress": "sample string 4" }</pre>

Sample Response	<pre>{ "MemberId": "" "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

PostTransactionalEmailWithHtmlTemplate

URL	LIVE: http://ws.euormsg.com/resta/api/post/PostTransactionalEmailWithHtmlTemplate ECOMM: http://ws.euormsg.com/reste/api/post/PostTransactionalEmailWithHtmlTemplate
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>

<p>Body</p>	<p>FromName (string): From Name of the e-mail.,</p> <p>FromAddress (string): From address of the e-mail.,</p> <p>ReplyAddress (string): Reply address of the e-mail.,</p> <p>Subject (string): Subject of the e-mail.,</p> <p>HtmlBody (string): Content of the e-mail as html.,</p> <p>Charset (string): Char set of the e-mail.,</p> <p>ToName (string): Name of the receiver.,</p> <p>ToEmailAddress (string): Email address of the receiver.,</p> <p>PostType(string): Optional parameter.Type of email (account activation, survey, etc.),</p> <p>KeyId(string): Optional parameter. Unique member id in your system.,</p> <p>CustomParams(string): Optional parameter. Custom parameters.,</p> <p>CcAddress(string): Optional parameter.,</p> <p>BccAddress(string): Optional parameter.,</p> <p>Attachments (List<Attachment>):</p> <p>Attachment:</p> <p>Name(string): Name of attachment.,</p> <p>Type(string): Type like pdf,doc.,</p> <p>Content(byte[]): Contents of file.</p>
<p>Sample Body</p>	<pre>{ "FromName": "sample string 1", "FromAddress": "sample string 2", "ReplyAddress": "sample string 3", "TemplateName": "sample string 4", "SubjectVariables": [{ "Key": "sample string 1", "Value": "sample string 2" }, { "Key": "sample string 1", "Value": "sample string 2" }], "BodyVariables": [{ "Key": "sample string 1",</pre>

```

    "Value": "sample string 2"
  },
  {
    "Key": "sample string 1",
    "Value": "sample string 2"
  }
],
"Charset": "sample string 5",
"ToName": "sample string 6",
"ToEmailAddress": "sample string 7",
"Attachments": [
  {
    "Name": "sample string 1",
    "Type": "sample string 2",
    "Content": "QEA="
  },
  {
    "Name": "sample string 1",
    "Type": "sample string 2",
    "Content": "QEA="
  }
]
}

```

Sample Response	<pre> { "MemberId": "" "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" } </pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

PostTransactionalEmailWithXsltTemplate

URL	LIVE: http://ws.euormsg.com/resta/api/post/PostTransactionalEmailWithXsltTemplate ECOMM: http://ws.euormsg.com/reste/api/post/PostTransactionalEmailWithXsltTemplate
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	<p>FromName (string): From Name of the e-mail.,</p> <p>FromAddress (string): From address of the e-mail.,</p> <p>ReplyAddress (string): Reply address of the e-mail.,</p> <p>Subject (string): Subject of the e-mail.,</p> <p>HtmlBody (string): Content of the e-mail as html.,</p> <p>Charset (string): Char set of the e-mail.,</p> <p>ToName (string): Name of the receiver.,</p> <p>ToEmailAddress (string): Email address of the receiver.,</p> <p>PostType(string): Optional parameter.Type of email (account activation, survey, etc.),</p> <p>KeyId(string): Optional parameter. Unique member id in your system.,</p> <p>CustomParams(string): Optional parameter. Custom parameters.,</p> <p>CcAddress(string): Optional parameter.,</p> <p>BccAddress(string): Optional parameter.,</p> <p>Attachments (List<Attachment>):</p> <p>Attachment:</p> <p>Name(string): Name of attachment.,</p> <p>Type(string): Type like pdf,doc.,</p> <p>Content(byte[]): Contents of file.</p>

Sample Body	<pre> { "FromName": "sample string 1", "FromAddress": "sample string 2", "ReplyAddress": "sample string 3", "TemplateName": "sample string 4", "Xml": "sample string 5", "Charset": "sample string 6", "ToName": "sample string 7", "ToEmailAddress": "sample string 8", "Attachments": [{ "Name": "sample string 1", "Type": "sample string 2", "Content": "QEA=" }, { "Name": "sample string 1", "Type": "sample string 2", "Content": "QEA=" }] } </pre>
Sample Response	<pre> { "MemberId": "" "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" } </pre>
Success Response	Status Code: 200
http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkBounceResult

URL	LIVE: http://ws.euormsg.com/resta/api/post/GetPostBulkBounceResult ECOMM: http://ws.euormsg.com/rete/api/post/GetPostBulkBounceResult
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	
Sample Body	<pre>{ "BeginDate": "sample string 1", "EndDate": "sample string 2" }</pre>
Sample Response	<pre>{ "MemberId": "", "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "", "TransactionId": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkResult

URL	LIVE: http://ws.euormsg.com/resta/api/post/GetPostBulkResult ECOMM: http://ws.euormsg.com/rete/api/post/GetPostBulkResult
Http verb	POST

Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	
Sample Body	{ "BeginDate": "sample string 1", "EndDate": "sample string 2" }
Sample Response	{ "MemberId": "", "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "", "TransactionId": "" }
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkResultByLastUpdate

URL	LIVE: http://ws.euomsg.com/resta/api/post/GetPostBulkResultByLastUpdate ECOMM: http://ws.euomsg.com/reste/api/post/GetPostBulkResultByLastUpdate
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	

Sample Body	<pre>{ "BeginDate": "sample string 1", "EndDate": "sample string 2" }</pre>
Sample Response	<pre>{ "MemberId": "", "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "", "TransactionId": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkResultByPostId

URL	LIVE: http://ws.euormsg.com/resta/api/post/GetPostBulkResultByPostId ECOMM: http://ws.euormsg.com/reste/api/post/GetPostBulkResultByPostId
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login</i>
Body	

Sample Body	<pre>{ "PostIds": ["sample string 1", "sample string 2"] }</pre>
Sample Response	<pre>{ "MemberId": "", "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "", "TransactionId": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkResultWithCustomParams

URL	LIVE: http://ws.euormsg.com/resta/api/post/GetPostBulkResultWithCustomParams ECOMM: http://ws.euormsg.com/rete/api/post/GetPostBulkResultWithCustomParams
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	
Sample Body	<pre>{ "BeginDate": "sample string 1", "EndDate": "sample string 2", "CustomParams": "sample string 3" }</pre>

Sample Response	<pre>{ "MemberId": "", "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

GetPostBulkResultWithOptional

URL	LIVE: http://ws.euomsg.com/resta/api/post/GetPostBulkResultWithOptional ECOMM: http://ws.euomsg.com/reste/api/post/GetPostBulkResultWithOptional
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login</i>
Body	ToEmailAddress (string): Email address of the receiver PostType(string): Optional parameter.Type of email (account activation, survey, etc.)
Sample Body	<pre>{ "BeginDate": "sample string 1", "EndDate": "sample string 2", "PostType": "sample string 3", "ToAddress": "sample string 4" }</pre>

Sample Response	<pre>{ "MemberId": "" "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" }</pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

PostTransactionalEmailWithHtmlTemplate

URL	LIVE: http://ws.euormsg.com/resta/api/post/PostTransactionalEmailWithHtmlTemplate ECOMM: http://ws.euormsg.com/reste/api/post/PostTransactionalEmailWithHtmlTemplate
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>

<p>Body</p>	<p>FromName (string): From Name of the e-mail.,</p> <p>FromAddress (string): From address of the e-mail.,</p> <p>ReplyAddress (string): Reply address of the e-mail.,</p> <p>Subject (string): Subject of the e-mail.,</p> <p>HtmlBody (string): Content of the e-mail as html.,</p> <p>Charset (string): Char set of the e-mail.,</p> <p>ToName (string): Name of the receiver.,</p> <p>ToEmailAddress (string): Email address of the receiver.,</p> <p>PostType(string): Optional parameter.Type of email (account activation, survey, etc.),</p> <p>KeyId(string): Optional parameter. Unique member id in your system.,</p> <p>CustomParams(string): Optional parameter. Custom parameters.,</p> <p>CcAddress(string): Optional parameter.,</p> <p>BccAddress(string): Optional parameter.,</p> <p>Attachments (List<Attachment>):</p> <p>Attachment:</p> <p>Name(string): Name of attachment.,</p> <p>Type(string): Type like pdf,doc.,</p> <p>Content(byte[]): Contents of file.</p>
<p>Sample Body</p>	<pre>{ "FromName": "sample string 1", "FromAddress": "sample string 2", "ReplyAddress": "sample string 3", "TemplateName": "sample string 4", "SubjectVariables": [{ "Key": "sample string 1", "Value": "sample string 2" }, { "Key": "sample string 1", "Value": "sample string 2" }], "BodyVariables": [{ "Key": "sample string 1",</pre>

```

    "Value": "sample string 2"
  },
  {
    "Key": "sample string 1",
    "Value": "sample string 2"
  }
],
"Charset": "sample string 5",
"ToName": "sample string 6",
"ToEmailAddress": "sample string 7",
"Attachments": [
  {
    "Name": "sample string 1",
    "Type": "sample string 2",
    "Content": "QEA="
  },
  {
    "Name": "sample string 1",
    "Type": "sample string 2",
    "Content": "QEA="
  }
]
}

```

Sample Response	<pre> { "MemberId": "" "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" } </pre>
Success Response	Status Code: 200
Http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

PostTransactionalEmailWithXsltTemplate

URL	LIVE: http://ws.euormsg.com/resta/api/post/PostTransactionalEmailWithXsltTemplate ECOMM: http://ws.euormsg.com/reste/api/post/PostTransactionalEmailWithXsltTemplate
Http verb	POST
Parameters	
Header	Content-Type: application/json Authorization: <i>The ticket given by the system after successfull login.</i>
Body	<p>FromName (string): From Name of the e-mail.,</p> <p>FromAddress (string): From address of the e-mail.,</p> <p>ReplyAddress (string): Reply address of the e-mail.,</p> <p>Subject (string): Subject of the e-mail.,</p> <p>HtmlBody (string): Content of the e-mail as html.,</p> <p>Charset (string): Char set of the e-mail.,</p> <p>ToName (string): Name of the receiver.,</p> <p>ToEmailAddress (string): Email address of the receiver.,</p> <p>PostType(string): Optional parameter.Type of email (account activation, survey, etc.),</p> <p>KeyId(string): Optional parameter. Unique member id in your system.,</p> <p>CustomParams(string): Optional parameter. Custom parameters.,</p> <p>CcAddress(string): Optional parameter.,</p> <p>BccAddress(string): Optional parameter.,</p> <p>Attachments (List<Attachment>):</p> <p>Attachment:</p> <p>Name(string): Name of attachment.,</p> <p>Type(string): Type like pdf,doc.,</p> <p>Content(byte[]): Contents of file.</p>

Sample Body	<pre> { "FromName": "sample string 1", "FromAddress": "sample string 2", "ReplyAddress": "sample string 3", "TemplateName": "sample string 4", "Xml": "sample string 5", "Charset": "sample string 6", "ToName": "sample string 7", "ToEmailAddress": "sample string 8", "Attachments": [{ "Name": "sample string 1", "Type": "sample string 2", "Content": "QEA=" }, { "Name": "sample string 1", "Type": "sample string 2", "Content": "QEA=" }] } </pre>
Sample Response	<pre> { "MemberId": "" "Success": false, "Errors": [{ "Code": "", "Message": "" }], "DetailedMessage": "" } </pre>
Success Response	Status Code: 200
http Error Response	Status Code: 400 Bad Request Status Code: 401 Unauthorized
Error Code	00, 01,08,26,40,75,87,88,96,99,103,105,133,134, 550

